COMPLETE LISTING OF CLAIMS IN ASCENDING ORDER WITH STATUS INDICATOR

Claim 1 (currently amended): A Fibre Channel Arbitrated Loop interconnect system comprising:

- a first port in a plurality of ports,
- a second port in the plurality of ports,

said first and second ports including port logic to monitor Open (OPN) arbitrated loop primitives, and adapted to connect to devices supporting a Fibre Channel Arbitrated Loop protocol,

. a crossbar switch coupled to said first and second the plurality of ports,

a route determination apparatus including a routing table comprised of Arbitrated Loop Physical Addresses (ALPAs) and their associated ports, the route determination apparatus separate from the <u>plurality of ports</u> and directly coupled to each <u>of the plurality of ports</u> and the crossbar switch through separate signaling paths, the route determination apparatus for programming the crossbar switch to establish direct paths between the <u>first and second ports</u> in the crossbar switch, the direct paths excluding all other ports,

wherein the crossbar switch creates the direct paths between the <u>first and second</u> ports based on the OPN arbitrated loop primitives, and

wherein priority for each port is independent of the ALPAs.

Claim 2 (canceled)

Claim 3 (currently amended): A system for interconnecting Fibre Channel Arbitrated Loop devices comprising:

- a first Arbitrated Loop containing one or more Fibre Channel arbitrated loop devices, a second Arbitrated Loop,
- a Fibre Channel Arbitrated Loop interconnect system, the interconnect system including:
- a first port <u>in a plurality of ports</u>, the first port containing port logic coupled to the first Arbitrated Loop,
- a second port <u>in the plurality of ports</u>, the second port containing port logic coupled to the second Arbitrated Loop,

the first and second ports adapted to connect to devices supporting a Fibre Channel Arbitrated Loop protocol,

route determination apparatus separate from the <u>plurality of ports</u> and directly coupled to each <u>of the plurality of ports</u> through separate signaling paths for selecting a direct route between <u>the first and second ports</u> based on received Fibre Channel Arbitrated Loop primitives from the ports, the <u>direct route excluding all other ports</u>, and including a routing table containing Arbitrated Loop Physical Addresses (ALPAs) and their associated ports, and

a crossbar switch directly coupled to the first and second ports and to the route determination apparatus through separate signaling paths for switching frames between ports under control of the route determination apparatus,

wherein Fibre Channel frames are transferred between a device on the first Arbitrated Loop and thea device on the second Arbitrated Loop Device, and

wherein priority for each port is independent of the ALPAs.

Claim 4 (previously presented): The interconnect system of claim 3 wherein the Arbitrated Loop primitives that cause the crossbar switch to create paths between ports includes one or more of the following: Arbitrate (ARB), Open (OPN) and Close (CLS).

Claim 5 (currently amended): The interconnect system of claim 3 including a Receiver Ready (R_RDY) counter to count R_RDY's sent by thean originating Fibre Channel Arbitrated Loop device before the Open (OPN) response is received by the originating Fibre Channel Arbitrated Loop Device.

Claim 6 (previously presented): The interconnect system of claim 3 wherein the second Arbitrated Loop device is on the first port.

Claim 7 (previously presented): The interconnect system of claim 3 wherein the second Arbitrated Loop device is on the second port.